

Wall-mounted Digital signage

ZK-DS32/43W



ZK-DS digital signage series are specially designed for information release and to raise brand awareness. The Full HD display can show different forms of multimedia information in high-definition, including videos, pictures and PDF through multiple program schedule modes.

ZK-DS digital signage simplifies the information distribution process and has a higher efficiency than print or box advertising, which helps attract customers' attention.

Features



FHD
(1920x1080P)



Smart split screen
(Customizable split screen function)



Program schedule
(Play by day, play by week, etc)



Remote management
(Off-site information release)

Application scenarios



Restaurant



Shopping mall




Convenience store

Specifications

Model	ZK-DS32W	ZK-DS43W
Built-in System		
Operating System	Android 7.1	
CPU	Cortex-A17, 4-core,1.8Ghz	
GPU	Mali-T764	
RAM	1GB	
ROM	8GB	
Display		
Size	32-inch	43-inch
Response Time	8 ms	
Aspect Ratio	16:9	
Resolution	1920*1080@60Hz	
Display Colors	1.07B (10bit)	
Color Gamut	72% NTSC	
Visual Angle	178°(H)/178°(V)	
Backlight	E-LED	
Screen Brightness	300nits	240nits
Interface		
USB2.0	2	
Network Interface	1×RJ45,Wi-Fi 2.4G	
Power		
Power Input	100~240V, 50/60Hz	
Max Consumption	≤36W	≤57W
Speaker Power	2*5W	
Standby Consumption	≤1W	
Environmental		
Operating Temperature	0°C to 40°C	
Storage Temperature	-20°C to 60°C	
Operating Humidity	10% to 90% RH	
Storage Humidity	10% to 90% RH	
Altitude	Below 5000 meters	
General		
Product Dimensions (L*W*H)	744*439*53(mm)	988*578*54(mm)
Packing Dimensions (L*W*H)	830*580*150(mm)	1075*730*150(mm)
VESA Hole Specification	200*200(mm)	300*300(mm)
Net Weight	8.6(Kg)	13.3(Kg)
Weight With Packaging	10.2(Kg)	16.6(Kg)
Support File Types	MP4, ASF, AVI, FLV, MPG, RMVB, WMV, MP3, JPG, JPEG, PNG, GIF, PDF, DOC, DOCX, PPTX, XLS, XLSX	
Accessories	Wireless Mouse, Power Cord, Key, Antenna, Wall bracket	

Configuration



Dimensions (mm)

